Welcome to our office,
Mr. Patrick
Let's get together to create
a successful and creative story.

BUSSINESS STORY

*30°

* All images are for illustrative purposes only.

UHD Signage 65/55/49/43" UH5F-H

LG UHD Signage

Clear View
with Non-glare Coating

4K UHD Superb Picture Quality

Sleek and Practical Design

Product Reliability

webOS Smart Platform

Meeting Room Solution

SUPERB PICTURE QUALITY


Clear View with Non-glare Coating

Viewers can be annoyed by unnecessary reflections when watching a screen under brightly lit conditions. The UH5F-H series has resolved such inconveniences by increasing the level of haze, which enhances visibility and text readability.

FULL HD 1,080 / 1,920   ULTRA HD 2,160 / 3,840

ULTRA HD Resolution

With the resolution that is 4 times higher than FHD, it makes the color and details of the contents more vivid and realistic. In addition, the wide viewing angle applied with an IPS panel, provides clear contents with no distortion.

SLEEK AND PRACTICAL DESIGN

9.9 mm
43" 8.4 mm
39.9 mm
14.4 mm

Narrow Bezel & Slim Depth

This series has a smaller bezel size and thickness, which saves space and enables easy installation. In addition, it increases the immersive experience from the screen and provides a sophisticated design, improving the décor of the space where the product is installed.

Detachable Logo and Built-in Speaker

This series is equipped with a new transparent logo which is well organized with surroundings. Also, its removable feature gives users flexibility for installation. Contents will be enriched with sound effects from built-in speakers, without the need for purchasing or installing external speakers.

PRODUCT RELIABILITY

IP5x Certified Design

The IP5x Dust-Proof Certification ensures that the product is completely protected from dust, eliminating the risk of performance degradation.


30° Tilting Installation

When a display is installed at high places, it is usually tilted for the user's comfort viewing. In consideration of this, the installation with 30 degrees of tilt* is supported.

* Tilt installation of up to 30 degrees facedown is supported.
  (In conditions within 30°C temperature, 50% humidity)

# EASY INSTALLATION

Auto Screen Rotation

This series automatically detects its orientation (landscape or portrait mode) in the initial installation step, so manual rotation set-up process isn't required. The direction of OSD and background contents will be already set when you turn on a display at first.

Fine Adjustment

This series is equipped with a "horizontal sensor" which shows users how the device is tilt, so that it can be precisely installed.

webOS SMART SIGNAGE PLATFORM

High-Performance with webOS

Built-in Quad Core SoC can execute several tasks at once while providing smooth content playback without the need for a media player. Also, LG webOS platform enhances user convenience with intuitive GUI and simple app development tools.

Various Sensor Applications

LG webOS smart signage platform easily supports connections with external sensors such as GPIO, NFC/RFID, temperature sensors, etc, via USB plug-in. The overall cost for maintenance is reduced as there's no need to purchase additional software or media players for creating value-added solutions.

MEETING ROOM SOLUTION COMPATIBILITY

Compatible with AV Control System

The UH5F-H series has been certified Crestron Connected® for high compatibility with professional AV controls to achieve seamless integration and automated control*, boosting business management efficiency.

* Network based control

## Compatible with Video Conference System

For the optimum visual meeting, the UH5F-H series has certified its compatibility with Cisco System that offers powerful and integrated control* for a smarter video conference, eliminating a waste of time for setting up the picture quality or changing input on incoming calls.

* Using an HDMI cable connection

DIMENSION

(unit: mm)

65"

1,453.3
39.9
844
832.8
576.7 300 576.7
264.2
300
268.7

55"

1,234.4
39.9
720.9
709.7
467.2 300 467.2
202.6
300
207.1

49"

1,098.6
39.9
644.5
633.3
399.3 300 399.3
164.4
300
168.9

43"

962.5
39.9
568
556.8
381.25 200 381.25
175.4
200
181.4

CONNECTIVITY

| ❶ | ❷ | ❸ | ❹ | ❺ | ❻ | ❼ | ❽ | ❾ | ❿ | ⓫ | ⓬ | ⓭ |

- ❶ LAN
- ❷ HDMI IN1
- ❸ HDMI IN2
- ❹ DP IN
- ❺ DP OUT
- ❻ HDMI IN3
- ❼ DVI-D IN
- ❽ IR & LIGHT SENSOR
- ❾ USB IN
- ❿ AUDIO IN
- ⓫ AUDIO OUT
- ⓬ RS-232C IN
- ⓭ RS-232C OUT

* Dimensions & Jack Panels may differ from the above image, so please contact LG sales team to verify before ordering.

ENERGY STAR

HDMI™ HIGH-DEFINITION MULTIMEDIA INTERFACE

LG | Business Solutions