


HIGH OUTPUT AUTOMATIC ORANGE JUICER # 32



Internationally patented models

Santos manufactures automatic orange juicers since 1988 and has improved its know-how year after year to give you the best quality orange juice. Ideal for juice bars, fast food chains, hotels... It fits everywhere thanks to its modularity: version with table (32 T) or in-counter version (32 Bac).



VIDEO

IDEAL FOR JUICE BARS !

Quality

Reliable product in stainless steel, equipped with a powerful professional asynchronous motor (5-year warranty) Designed to be used continuously for hours.

High quality juice: exclusive squeezing system, high precision. It gives you a high quality juice with no bitterness: no contact between the juice and the peel.

Performance

Very high output: squeezes 20 oranges per minute (1 200 oranges / hour).

High ratio: thanks to its patented squeezing system, this appliance will give you a maximum extraction of juice.

Automatic unblocking system in case of unusual squeezing.



Simplicity

Easy to use: this appliance automatically cuts, squeezes and ejects oranges.

Accepts all sizes of oranges from 60 to 90 mm diameter without preliminary calibration. A special adaptor for small oranges (40 to 70 mm diameter) is available on demand.

Security et hygiene

Safety: emergency button and safety switch (the motor stops when opening the door)

Product all in stainless steel: reference material in terms of hygiene for a professional use.

Easy cleaning thanks to the sprayer delivered with the appliance and the various removable parts (knife, lower squeezers and ejectors).

Santos,
the professional art of juicing
since 1954



CHOOSE THE VERSION YOU NEED



MODEL # 32 BAC

In-counter version: ejection of peels under your counter (cut-out drawing delivered with the appliance)

Delivered with a drip tray and a juice container (for all needs)



MODEL # 32 T

Version with stainless steel table: ejection of peels in a container placed in the table.

Delivered with a drip tray and a juice container (for all needs) and a stainless steel table

AUTOMATIC ORANGE JUICER # 32

TECHNICAL SPECIFICATIONS




Motor


Single phase: 100-120 V – 50/60 Hz – 650W – CE
220-240 V – 50/60 Hz – 600 W CE

Speed: | 500 rpm (50 Hz)
| 800 rpm (60 Hz)


Model 32 Bac



W: 410 mm (16")
D: 620 mm (24")
H: 1020 mm (40")
Weight: 63 kg (138 lbs)




W: 410 mm (16")
D: 190 mm (7.5")
H: 210 mm (8")
Weight: 2.5 kg (5.5 lbs)




N°32 Bac shipping box
W: 520 mm (20.5")
D: 670 mm (26")
H: 1170 mm (46")
Weight: 73 kg (160 lbs)


Model 32 T




W: 410 mm (16")
D: 620 mm (24")
H: 1020 mm (40")
Weight: 63 kg (138 lbs)



W: 410 mm (16")
D: 190 mm (7.5")
H: 210 mm (8")
Weight: 2.5 kg (5.5 lbs)



W: 410 mm (16")
D: 770 mm (30")
H: 790 mm (31")
Weight: 21 kg (46 lbs)



N°32 bac shipping box
W: 520 mm (20.5")
D: 670 mm (26")
H: 1170 mm (46")
Weight: 73 kg (160 lbs)




Table shipping box
W: 540 mm (21")
D: 845 mm (33")
H: 730 mm (29")
Weight: 25 kg (55 lbs)

SAFETY, STANDARDS, HYGIENE

In accordance with the following regulations

Machinery regulation 2006/42/EC
Electromagnetic compatibility 2014/30/EU
"Low voltage" Regulation 2014/35/EU
RoHS regulation 2011/65/EU
Regulation 1935/2004/EC (contact with food)
Regulation 10/2011/EU (plastic in contact with food)

Harmonized European standards

EN ISO 12100 : 2010
EN 60204-1 +A1 : 2009
EN 60335-2-64 : 2004 Commercial electric kitchen machines
CE Marking

Electrical safety

On/off switch detects overloading and no voltage.
All mechanical parts are ground connected.
Appliances are 100% tested after assembly.

Acoustic safety

Silent asynchronous motor.

Thermal safety

Motor protected by internal thermal detector and overload protector

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water

The exploded view of the automatic orange juicer #32
is available on our website : www.santos.fr

SANTOS

140-150 Avenue Roger Salengro BP 80 067 – 69511 Vaulx-en-velin Cedex (Lyon) – FRANCE
Tel. +33 4 72 37 35 29 – Fax. +33 4 78 26 58 21 – Website: www.santos.fr – Email: santos@santos.fr

Follow us on #SantosAddict social networks    